

Item-#: EPG

Detailed information can be found at www.lefima.de



This glockenspiel combines good transportability and excellent sound!

With these 3-octave instruments we offer a tonerange, which reaches out wide above their price class. The bars are hand-tuned with most modern technology and are made from a lightmetal alloy which grants an exeptional sound, but also predestines them for frequent transportations. The cross-drilled bars guarantee optimal vibration and sound expansion. This model features a comparably efficient--sensitive and inexpensive pedal damping unit, whi...

Design features


Freely suspended bars made from a special aluminum alloy, sensitive pedal damper, adjustable damper horizontal for separate adjustment at low and high notes, adjustable pedal spring resistance, extremely quick set-up by magnetic support without screws, light wooden resonance frame mounted in sturdy case, case top detachable; for transport the stand can be folded and stored inside the case which is designed as trolley. The indicated weights are without stand.

Item-#	Tonerange	Material	lenght(cm)	Weight (lbs / kg)
KM-EPG-F1F4-000	f' – f''''	Leichtmetall / light metal	94	13.0
KM-EPG-G1C4-000	g' – c''''	Leichtmetall / light metal	94	12.1

Item-#: EPG

Detailed information can be found at www.lefima.de

Product Features



Snap-on Set-up

By the snap-on principle, both instrument and stand can be linked in a second. – comfortably without screws and without bending do...




Mallet Storage

In the wide end of the case there's space for storing 1 pair of sticks.



Pedal Damper

The pedal acts very sensitively and directly. It can be positioned individually and can be integrated in a larger set-up. The trav...



Adjustable Damper Horizontal

The adjustable damper horizontal guarantees a separate adjustment at low and high notes. So the sound can be optimized in its perc...



Vibration-neutral Suspension of Bars

Like at professional high-end instruments, the vibration-neutral suspension of the bars is solved by cross drills. This guarantees...




Abnehmbarer Kofferdeckel

When the case is open, the top can be detached for playing. At the same time it is the main part of the trolley-case, in which the...



Tuning

The intonation of the instruments refer to the standard pitch a' = 440 Hz. The frequencies in other octave ranges are adopted.



Notation - Sound



Bars made from light metal

The bars are made from a specially alloyed light metal which is responsible for a brilliant and well-balanced sound and a low inst...

Equipment

Item-#: EPG

Detailed information can be found at www.lefima.de

Accessories



Bar Extension Set

With the bar extension set the HPGL 2.5 can be enlarged to a full 3 octaves instrument.(f' - f''')

Item-#: EPG

Detailed information can be found at www.lefima.de

Item-#: EPG

Detailed information can be found at www.lefima.de



This glockenspiel combines good transportability and excellent sound!

With these 3-octave instruments we offer a tonerange, which reaches out wide above their price class. The bars are hand-tuned with most modern technology and are made from a lightmetal alloy which grants an exeptional sound, but also predestines them for frequent transportations. The cross-drilled bars guarantee optimal vibration and sound expansion. This model features a comparably efficient-sensitive and inexpensive pedal damping unit, which pedal resistance can be adjusted by the needs of the musician. The adjustable damper horizontal additional enables a variable dampening of the low and the high notes. The playing height can be regulated from 85 to 95 centimetres.

Detailed information can be found at www.lefima.de

According to the prior art as required minor technical and colour changes reserved. Conditional display color deviations are unavoidable. Advertisements, catalogs, and in particular the presentation of products on the Internet are not a binding offer for the sale of goods through the Lefima GmbH represents the offers on this site are only for freelancers and professionals and not to private customers. The exception applies only to the 2 Choiceproducts, which are offered in a separate area and to which access is only through a separate link to besteht. Angaben specifications, dimensions and weights are approximate values only industry also. © Copyright Lefima GmbH 2024 - www.lefima.de