

Item-#: OX4

Detailed information can be found at www.lefima.de



All LEFIMA Mallet Instruments are well-tempered hand-tuned with most modern electronic devices according to Werckmeister III. $a' = 442, 443, 444$ Hz. (Please indicate when ordering) The intonation of the instruments refer to the standard pitch $a' = 440$ Hz. The frequencies in other octave ranges are adopted.

Design features

Freely suspended bars made from rosewood, 5 sturdy support rails, instrument can be folded for easier transport, 1 pair of special mallets
c'-c''''(3 Oktaven)

Item-#	Tonerange	Bar width x length	length(cm)	Weight (lbs / kg)
HM-OX4-C1D4-042	c'-c''''(3 Oktaven)	3,0 x 2,0	84 cm	6.6

Item-#: OX4

Detailed information can be found at www.lefima.de

Item-#: OX4

Detailed information can be found at www.lefima.de

Item-#: OX4

Detailed information can be found at www.lefima.de



All LEFIMA Mallet Instruments are well-tempered hand-tuned with most modern electronic devices according to Werckmeister III. $a' = 442, 443, 444$ Hz. (Please indicate when ordering)

The intonation of the instruments refer to the standard pitch $a' = 440$ Hz. The frequencies in other octave ranges are adopted.

Detailed information can be found at www.lefima.de

According to the prior art as required minor technical and colour changes reserved. Conditional display color deviations are unavoidable. Advertisements, catalogs, and in particular the presentation of products on the Internet are not a binding offer for the sale of goods through the Lefima GmbH represents the offers on this site are only for freelancers and professionals and not to private customers. The exception applies only to the 2 Choiceproducts, which are offered in a separate area and to which access is only through a separate link to besteht. Angaben specifications, dimensions and weights are approximate values only industry also. © Copyright Lefima GmbH 2024 - www.lefima.de